Author Index

Abad, C., see Perez-Paya, E. 548(1991)93
Abad, C., see Perez-Paya, E. 548(1991)351
Abouelezz, M., see Dunn, L. 548(1991)165
Aguilar, M. I., see Hearn, M. T. W. 548(1991)117
Aguilar, M. I., see Wilce, M. C. J. 548(1991)105
Antonelli, G., see Giacobbe, S. 548(1991)289
Binder, C., see Linde, S. 548(1991)371
Bloemhoff, W., see Welling, G. W. 548(1991)235
Bolzacchini, E., Di Gennaro, P., Di Gregorio, G., Rindone, B., Falagiani, P., Mistrello, G. and Sondergaard, I.
Purification of *Phleum pratense* pollen extract by immunoaffinity chromatography and high-performance ion-exchange chromatography 548(1991)229
Boppana, V. K., Miller-Stein, C., Politowski, J. F. and Rhodes, G. R.
High-performance liquid chromatographic determination of peptides in biological fluids by automated pre-column fluorescence derivatization with fluorescamine 548(1991)319
Borin, G., see Calderan, A. 548(1991)329
Boulkanz, L., see Vidal-Madjar, C. 548(1991)81
Braco, L., see Perez-Paya, E. 548(1991)93
Braco, L., see Perez-Paya, E. 548(1991)351
Brew, K., see Colilla, F. J. 548(1991)303
Buck, R. H., Cholewinski, M. and Maxl, F.
Animal test or chromatography?. Validated high-performance liquid chromatographic assay as an alternative to the biological assay for ornipressin 548(1991)335
Calderan, A., Ruzza, P., Marin, O., Secchieri, M., Borin, G. and Marchiori, F.
Separation of acidic peptides by reversed-phase ion-pair chromatography. Analytical application to a series of acidic substrates of casein kinases 548(1991)329
Campos, A., see Perez-Paya, E. 548(1991)93
Chaufer, B., Rollin, M. and Sébille, B.
High-performance liquid chromatography and ultrafiltration of whey proteins with inorganic porous materials coated with polyvinylimidazole derivatives 548(1991)215
Chiari, M., Ettori, C., Manzocchi, A. and Righetti, P. G.
Structure–stability relationship of Immobiline chemicals for isoelectric focusing as monitored by capillary zone electrophoresis 548(1991)381
Cholewinski, M., see Buck, R. H. 548(1991)335
Colilla, F. J., Yadav, S. P., Brew, K. and Mendez, E.
Peptide maps at picomolar levels obtained by reversed-phase high-performance liquid chromatography and pre-column derivatization with phenyl isothiocyanate. Microsequencing of phenylthiocarbamyl peptides 548(1991)303
Cummings, L., see Dunn, L. 548(1991)165
Cysewski, P., Jaulmes, A., Lemque, R., Sébille, B., Vidal-Madjar, C. and Jilge, G.
Multivalent ion-exchange model of biopolymer chromatography for mass overload conditions 548(1991)61
Damhof, R. A., see Welling, G. W. 548(1991)235
Danielsson, Å., see Nyberg, F. 548(1991)311
Davankov, V. A., see Kurganov, A. A. 548(1991)207
Di Gennaro, P., see Bolzacchini, E. 548(1991)229
Di Gregorio, G., see Bolzacchini, E. 548(1991)229
Drijfhout, J. W., see Welling, G. W. 548(1991)235
Dufourcq, J., see Perez-Paya, E. 548(1991)351
Dunn, L., Abouelezz, M., Cummings, L., Navvab, M., Ordunez, C., Siebert, C. J. and Talmadge, K. W.
Characterization of synthetic macroporous ion-exchange resins in low-pressure cartridges and columns. Evaluation of the performance of Macro-Prep 50 S resin in the purification of anti-Klenow antibodies from goat serum 548(1991)165
Elling, L., see Kula, M.-R. 548(1991)3
Ellouali, M., Khamlichi, S., Jozefonvicz, J. and Muller, D.
Affinity of trypsin for amidine derivatives immobilized on dextran-coated silica supports 548(1991)255
Ettori, C., see Chiari, M. 548(1991)381
Falagiani, P., see Bolzacchini, E. 548(1991)229
Fang, F. W., see Hearn, M. T. W. 548(1991)117
Folchitto, G., see Giacobbe, S. 548(1991)289
Giacobbe, S., Miraglia, N., Rindone, B., Folchitto, G. and Antonelli, G.
High-performance liquid chromatographic purification of antiviral components in Neuramide 548(1991)289

Hartling, S. G., see Linde, S. 548(1991)371
Hearn, M. T. W., Hodder, A. N., Fang, F. W. and Aguilar, M. I.
High-performance liquid chromatography of amino acids, peptides and proteins. CXI. Retention behaviour of proteins with macroporous tentacle-type anion exchangers 548(1991)117
Hearn, M. T. W., see Johnston, A. 548(1991)127
Hearn, M. T. W., see Mao, Q. M. 548(1991)147
Hearn, M. T. W., see Wilce, M. C. J. 548(1991)105
Hodder, A. N., see Hearn, M. T. W. 548(1991)117
Hodges, R. S., Lorne Burke, T. W. and Mant, C. T.
Multi-column preparative reversed-phase sample displacement chromatography of peptides 548(1991)267
Hodges, R. S., see Zhou, N. E. 548(1991)179
Hodges, R. S., see Zhu, B.-Y. 548(1991)13
Holgersson, J., see Strömqvist, M. 548(1991)293
Jaulmes, A., see Cysewski, P. 548(1991)61
Jaulmes, A., see Vidal-Madjar, C. 548(1991)81
Jilge, G., see Cysewski, P. 548(1991)61
Johnston, A., Mao, Q. M. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXII. Analysis of operating parameters affecting the breakthrough curves in fixed-bed chromatography of proteins using several mathematical models 548(1991)127
Johnston, A., see Mao, Q. M. 548(1991)147
Jozefonvicz, J., see Ellouali, M. 548(1991)255
Kalbacher, H. and Kropshofer, H.
Non-radioactive detection of MHC class II–peptide antigen complexes in the sub-picomole range by high-performance size-exclusion chromatography with fluorescence detection 548(1991)343
Khamlichi, S., see Ellouali, M. 548(1991)255
Kirkland, J. J., see Zhou, N. E. 548(1991)179
Kotarski, S. F., see Barsuhn, K. 546(1991)273
Kropshofer, H., see Kalbacher, H. 548(1991)343
Kula, M.-R., Elling, L. and Walsdorf, A.
Investigations of liquid–liquid partition chromatography of proteins 548(1991)3
Kurganov, A. A., Davankov, V. A. and Unger, K. K.
Ion-exchange high-performance liquid chromatography of nucleotides and polypeptides on new types of ion-exchange sorbents, based on polystyrene-coated silicas 548(1991)207
Lemque, R., see Cysewski, P. 548(1991)61
Liapis, A. I., see McCoy, M. A. 546(1991)25
Linde, S., Røder, M. E., Hartling, S. G., Binder, C. and Welinder, B. S.
Separation and quantitation of serum proinsulin and proinsulin intermediates in humans 548(1991)371
Linde, S. and Welinder, B. S.
Silica *versus* polymer-based stationary phases for reversed-phase high-performance liquid chromatographic analyses of rat insulin biosynthesis. A comparison of resolution and recovery 548(1991)195
Litzén, A. and Wahlund, K.-G.
Effects of temperature, carrier composition and sample load in asymmetrical flow field-flow fractionation 548(1991)393
Lorne Burke, T. W., see Hodges, R. S. 548(1991)267
Lyrenäs, S., see Nyberg, F. 548(1991)311
Mant, C. T., see Hodges, R. S. 548(1991)267
Mant, C. T., see Zhou, N. E. 548(1991)179
Mant, C. T., see Zhu, B.-Y. 548(1991)13
Manzocchi, A., see Chiari, M. 548(1991)381
Mao, Q. M., Johnston, A., Prince, I. G. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXIII. Predicting the performance of non-porous particles in affinity chromatography of proteins 548(1991)147
Mao, Q. M., see Johnston, A. 548(1991)127
Marchiori, F., see Calderan, A. 548(1991)329
Marin, O., see Calderan, A. 548(1991)329
Mauri, P. L., Pietta, P. G. and Pace, M.
Analysis and purification of DNA restriction fragments by high-performance liquid chromatography 548(1991)281
Maxl, F., see Buck, R. H. 548(1991)335
McCoy, M. A. and Liapis, A. I.
Evaluation of kinetic models for biospecific adsorption and its implications for finite bath and column performance 548(1991)25
Mendez, E., see Colilla, F. J. 548(1991)303
Miller-Stein, C., see Boppana, V. K. 548(1991)319
Miraglia, N., see Giacobbe, S. 548(1991)289
Mistrello, G., see Bolzacchini, E. 548(1991)229
Muller, D., see Ellouali, M. 548(1991)255
Navvab, M., see Dunn, L. 548(1991)165
Nyberg, F., Lyrenäs, S. and Danielsson, Å.
Fingerprinting of molecular components in individual human cerebrospinal fluid samples with a new micropurification system 548(1991)311
Ordunez, C., see Dunn, L. 548(1991)165
Pace, M., see Mauri, P. L. 548(1991)281

Perez-Paya, E., Braco, L., Abad, C. and Dufourcq, J.
High-performance liquid chromatographic separation of modified and native melittin following transglutaminase-mediated derivatization with a dansyl fluorescent probe 548(1991)351
Perez-Paya, E., Braco, L., Abad, C., Soria, V. and Campos, A.
Solution properties of polyelectrolytes. VII. Non-ideal mechanisms in size-exclusion chromatography of synthetic polyions, peptides and proteins 548(1991)93
Pietta, P. G., see Mauri, P. L. 548(1991)281
Place, H., see Vidal-Madjar, C. 548(1991)81
Politowski, J. F., see Boppana, V. K. 548(1991)319
Prince, I. G., see Mao, Q. M. 548(1991)147
Rhodes, G. R., see Boppana, V. K. 548(1991)319
Righetti, P. G., see Chiari, M. 548(1991)381
Rindone, B., see Bolzacchini, E. 548(1991)229
Rindone, B., see Giacobbe, S. 548(1991)289
Røder, M. E., see Linde, S. 548(1991)371
Rollema, H. S., see Visser, S. 548(1991)361
Rollin, M., see Chaufer, B. 458(1991)215
Ruzza, P., see Calderan, A. 548(1991)329
Samuelsson, B., see Strömqvist, M. 548(1991)293
Sébille, B., see Chaufer, B. 458(1991)215
Sébille, B., see Cysewski, P. 548(1991)61
Secchieri, M., see Calderan, A. 548(1991)329
Siebert, C. J., see Dunn, L. 548(1991)165
Slangen, C. J., see Visser, S. 548(1991)361
Sondergaard, I., see Bolzacchini, E. 548(1991)229
Soria, V., see Perez-Paya, E. 548(1991)93
Strömqvist. M., Holgersson, J. and Samuelsson, B.
Glycosylation of extracellular superoxide dismutase studied by high-performance liquid chromatography and mass spectrometry 548(1991)293
Talmadge, K. W., see Dunn, L. 548(1991)165
Unger, K. K., see Kurganov, A. A. 548(1991)207
Van Gorkum, J., see Welling, G. W. 548(1991)235
Vidal-Madjar, C., Place, H., Boulkanz, L. and Jaulmes, A.
Application of the split-peak effect to study the adsorption kinetics of human serum albumin on a reversed-phase support 548(1991)81
Vidal-Madjar, C., see Cysewski, P. 548(1991)61
Visser, S., Slangen, C. J. and Rollema, H. S.
Phenotyping of bovine milk proteins by reversed-phase high-performance liquid chromatography 548(1991)361
Wahlund, K.-G., see Litzén, A. 548(1991)393
Walsdorf, A., see Kula, M.-R. 548(1991)3
Welinder, B. S., see Linde, S. 548(1991)195
Welinder, B. S., see Linde, S. 548(1991)371
Welling, G. W., Van Gorkum, J., Damhof, R. A., Drijfhout, J. W., Bloemhoff, W. and Welling-Wester, S.
A ten-residue fragment of an antibody (mini-antibody) directed against lysozyme as ligand in immunoaffinity chromatography 548(1991)235
Welling-Wester, S., see Welling, G. W. 548(1991)235
Wheatley, J. B.
Effect of antigen size on optimal ligand density of immobilized antibodies for a high-performance liquid chromatographic support 548(1991)243
Wilce, M. C. J., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CX. Principal component analysis of four sets of group retention coefficients derived from reversed-phase high-performance liquid chromatography of peptides 548(1991)105
Yadav, S. P., see Colilla, F. J. 548(1991)303
Zhou, N. E., Mant, C. T., Kirkland, J. J. and Hodges, R. S.
Comparison of silica-based cyanopropyl and octyl reversed-phase packings for the separation of peptides and proteins 548(1991)179
Zhu, B.-Y., Mant, C. T. and Hodges, R. S.
Hydrophilic-interaction chromatography of peptides on hydrophilic and strong cation-exchange columns 548(1991)13